


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	6/8/2015	DPD	JAG




NOTE:
REF. AGUSTA T/N: 109-3101-94-101.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PIN	4140 Q&T/4142 Q&T		2
			-3	1	COMPASS	4142 Q&T/4142 Q&T		3
			-5	1	COMPASS	4142 Q&T/4142 Q&T		4
			-7	1	BUSH	4140 Q&T/4142 Q&T		5
			-9	1	BUSH	4140 Q&T/4142 Q&T		6
			-11	1	SPACER	6061		7
		B/O	-13	1	BOTTOM FOAM	Y-20, BLACK	4.93 X 7.12 X 9.28 I.R. SPECIALTY	8
		B/O	-15	1	LID FOAM	Y-20, BLACK	1.18 X 7.05 X 9.09 I.R. SPECIALTY	9
		B/O	-77	1	CASE	PLASTIC	PELICAN #APP-1300-E	N/S
		B/O	-19	1	DART PLACARD	ALUMINUM	RB41011	N/S
		B/O	-21	4	RIVET	ALUMINUM	Ø1/8 X .525 (MCMASTER-CARR #97447A130)	N/S
		B/O	-23	4	BLIND RIVET WASHER	ALUMINUM	Ø1/8 (MCMASTER-CARR #90183A213)	N/S

			TITLE	
			M/R LEVER DU WASHER BONDING TOOL	
DWG NO.			RBW109-3101-94-101	
MAT'L			DRAWN BY: DUERFELDT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			APPROVED <i>J Gilbert</i>	
.XXX ± .005 .XX ± .01 .X ± .1			HEAT TREAT FINISH	
FRACTIONS ± 1/8 ANGLES ± 5°			SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R			USED ON MODEL	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			AW109E/AW119	
SCALE 1:4		DATE 3/5/2015	SHEET 1 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED





NOTE:
REF. AGUSTA T/N; 109-3101-94-103.

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-1	REV 1
MAT'L 4140 Q&T/4142 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:2	DATE 3/5/2015
SHEET 2 OF 9	

(-1)
PIN

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.


REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A

NOTE:

REF. AGUSTA T/N: 109-3101-94-105.





DETAIL B
SCALE 2 : 1

(-3)
COMPASS


DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-3	REV 1
MAT'L 4142 Q&T/4142 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:1	DATE 3/5/2015
	SHEET 3 OF 9

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



NOTE:
REF AGUSTA T/N: 109-3101-94-107.






(-5)
COMPASS

DETAIL B
SCALE 2 : 1

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-5	REV 1
MAT'L 4142 Q&T/4142 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX $\pm .005$ FRACTIONS $\pm 1/8$	HEAT TREAT
.XX $\pm .01$ ANGLES $\pm 5^\circ$	FINISH CAD PLATE YELLOW
.X $\pm .1$	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:1	DATE 3/5/2015
SHEET 4 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






NOTE:
REF. AGUSTA T/N: 109-3101-94-109.

(-7)
BUSH

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-7	REV 1
MAT'L 4140 Q&T/4142 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:1	DATE 3/5/2015
SHEET 5 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






NOTE:
REF AGUSTA T/N: 109-3101-94-111.

(-9)
BUSH

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-9	REV 1
MAT'L 4140 Q&T/4142 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:1	DATE 3/5/2015
SHEET 6 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






NOTE:
REF. AGUSTA T/N: 109-3101-94-113.

(-11)
SPACER

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-11	REV 1
MAT'L 6061	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:1	DATE 3/5/2015
SHEET 7 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-13)
BOTTOM FOAM

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-13	REV 1
MAT'L Y-20, BLACK	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J. Gilbert</i>
.XXX ± .005 .XX ± .01 .X ± .1	HEAT TREAT FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC
SCALE 1:2	DATE 3/5/2015
USED ON MODEL AW109E/AW119	
SHEET 8 OF 9	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED



(-15)
LID FOAM

DART AEROSPACE	
TITLE M/R LEVER DU WASHER BONDING TOOL	
DWG NO. RBW109-3101-94-101-15	REV 1
MAT'L Y-20, BLACK	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL A109E, A119
SCALE 1:4	DATE 4/19/2012
SHEET 9 OF 9	